CHEMICAL ANCHOR STUD

CHEMICAL ANCHOR STUD

- Studs inblue zinc plated steel and hot dipped galvanized.
- Heavy duty fixing without radial influence of expansion forces can be used close to edges.
- Accurate drill depth is necessary.
- Fully loadable after the prescribed hardening-setting time



PRODUCT USAGE FEATURES (CAPSULES)

Reliable heavy duty anchoring system

Stress-free system with small spacing and edge distances Fast curing styrene free resin system Suitable for cored holes Can be installed and used under water

Resistant to most organic chemicals, and mild alkalis and acids Spin or hammer-in types

PRODUCT USAGE FEATURES (INJECTION)


Economical heavy duty anchoring system

Stress-free system with small spacing and edge distances Fast curing polyester resin Can be used in damp, clean hole Resistant to mostorganic chemicals, and mild alkalis and acids Reliable dispensing and mixing


SUITABLE FOR FIXING INTO

Solid concrete.

Conditional use in solid brick work, filled hollow




Drill correct diameter




Clean sides and inside of hole thoroughly with a nylon brush. Remove debris by way of vacuum pump, compressed air, hand pump etc.



rounded end out



Stop the drill.




wrench to recommended


SUITABLE FOR FIXING INTO

Solid concrete.


Conditional use in solid brick work, filled hollow blockwork, hollow concrete stabs, and hollow masonry units




Drill correct diamete hole to recommended depth.



Clean sides and inside of hole thoroughly with a nylon brush. Remove debris by way of vacuum pump, compressed air, hand pump etc.



Fill 1/3 to 1/2 of hole. Keep tip of nozzle in the adhesive



Slowly insert stud



After curing tighte bolt with torque wrench to recommended assembly torque.

APPLICATIONS



CHEMICAL ANCHOR STUD

ENGINEERING PROPERTIES

Anchor Size	Min. dameter ,c (mm)	Yield Strength, f y (MPa)	Ultimate Strength, f u (MPa)	Stressed Cross-section (mm ²)	Elastic Section modulus (mm³)	Characteristic bending moment (Nm)	Recommended bending moment (Nm)
M8	6.5	430	540	36.6	31.2	20.2	16.2
M10	8.2	430	540	58	62.3	40.4	32.3
M12	10.0	430	540	84.3	109.2	70.7	56.6
M16	14.0	420	520	157	277.5	173.1	138.5
M20	17.2	420	520	245	540.9	337.5	270.0
M24	20.7	420	520	353	935.5	583.5	467.0

CHEMICAL ANCHOR STUD

Anchor Size	Anchor Length (mm)	Hole Diameter Ø (mm)	Miximum Fixture Thickness (mm)	Effective Depth (mm)	Packed Quantity (Box,Carton)	Part No. Carbon Steel (Plate)	Part No. Hot Dipped Galvanised	Part No. Stainless Steel 304
M8	110	10	15	80	10 , 400	CSZP08110		
M10	130	12	20	90	10,210	CSZP10130	CSHG10130	CSSS10130
M12	160	14	25	110	10 , 150	CSZP12160	CSHG12160	CSSS12160
M16	190	18	35	125	10,50	CSZP16190	CSHG16190	CSSS16190
M20	260	25	65	170	6,30	CSZP20260	CSHG20260	
M24	300	28	63	210	6,24	CSZP24300	CSHG24300	